





CLICK & CLEAN

Revision date: 20/02/2005

Page 1 of 1

Technical Data:

Base	Acetone
Consistency	Liquid under pressure (5 bar at 20°C)

Product:

Click & Clean is ready to use cleaning aerosol can for use on Soudafoam Gun and Soudafoam 1K. It has been fitted with the unique patented Click&Fix adapter system for maximum comfort in use.

Characteristics:

- Used in conjunction with Soudafoam Gun and the foam applicator as cleaning fluid
- Contains solvents
- Can be used with normal foams cans due to the attachable nozzle
- Only 90° turn needed to insert the can into the gun adapter
- Clicks into perfect fit in the gun adapter
- Saves time when inserting and removing can

Application areas:

Cleaning of the gun
Cleaning of the valves of the PU Foam Aerosol
Removal of uncured foam

Packaging:

Colour: clear

Packaging: aerosol can 500mL

Shelf life:

24 months in unopened packaging in a cool and dry storage place at temperatures between +5°C and +25°

Application:

Method: remove can of Soudafoam Click&Fix from the foam gun by turning 90°. Aerosol can, shake thoroughly before application. Attach red nozzle to the Click&Clean and clean uncured foam inside the foam gun and the front nozzle of the gun. Insert into gun adapter, turn 90° and click to fit into foam gun. Apply trigger of foam gun until the spray out of the nozzle is completely clear without anymore traces of foam.

Application temperature: +5°C to +30°C

Clean: with dry cloth

Health- and Safety Recommendation:

Apply the usual industrial hygiene. Consult the label for more information.

Remark: The directives contained in this documentation are the result of our experiments and of our experience and have been submitted in good faith. Because of the diversity of the materials and substrates and the great number of possible applications which are out of our control, we cannot accept any responsibility for the results obtained. In every case it is recommended to carry out preliminary experiments.

Soudal NV Everdongenlaan 18-20 Tel.: +32 (0) 14-42.42.31 Fax: +32 (0) 14-42.65.14